



Wheelbase for special seating with secure storage for special medical equipment like ventilators and oxygen tanks. Available with tilt in space facility.
Suitable for children and adults with additional clinical needs.





Designed for clients with additional clinical needs.

The MoJo Complex Care (CC) is designed to accommodate specialist clinical equipment whilst maintaining balance and stability.

A standard wheelbase can become unstable if heavy equipment is not stored securely. The MoJo CC features a strong slide out tray and large rough terrain wheels to help prevent the chair tipping over.

Available in 2 sizes, Midi and Maxi. MoJo CC provides secure, practical storage for ventilators and oxygen.

Key Features

Suitable for all ages and sizes

MoJo CC is suitable for all ages and compatible with our custom moulded and modular seating systems.

Fully customisable

All SOS seating systems and wheelbases are made to order for each individual client. No matter how complex.

Safety tested for transportation

All MoJo wheelbases are crash tested with special seating and are suitable for transportation.



Tipping lever for tight corners

Fold-out foot plate to aid tipping. Mounting curbs and turning in tight spaces is easier with the MoJo CC.

Accessories to meet every need

MoJo CC is available with oxygen tank mounting point and bracketing to accommodate a range of medical equipment.

Quick-Lok for swapping seating systems

The SOS designed Quick-Lok makes it possible to swap seating systems easily, increasing the life span of the wheelbase.

Improves sitting tolerance

Tilt in space allows the seating position to be adjusted, making sitting still for a long period more comfortable.



Tipping Lever for mounting curbs and tight corners



MoJo CC with MSI custom moulded seating system and padded footbox

Innovative features:



Height adjustable handles

Adjust independently to allow the carer to find their most comfortable position.

Quick-Lok interface

Switch seating systems easily, increasing wheelbase life span.

Easy to adjust armrests

Frame mounted armrests with height and width adjustment.

Adjustable handle rake

Handle rake can be set to suit the seating system used.

Footrests and footboxes

Available with a range of footboxes, footrests and sandals.



Big 16" rear wheels

Larger rear wheels, for rough terrain and easier tipping.

Rear wheel brakes

Reliable rear wheel brakes with easy operation and adjustment.

2 position rear wheel settings

2 position rear wheel setting for extra stability when required.



Secure storage for specialist equipment



Available with oxygen tank brackets

Frame mounted bracketing without affecting stability.

Under-seat slide out tray


Plenty of storage for medical equipment under the seat for balance.

Tilt in space

Handle operated tilt in space facility makes seat angle adjustment easy for client comfort.

Transport at any angle

Front and rear transportation tie down points are frame mounted to allow the seat angle to be set to any angle during transport.



Slide out tray for equipment storage

Options and accessories

Sun shade/rain canopy

(Sun shade sold separately)

Activity tray

(Not pictured)

Armrests

Padded options available

Cosy toes

Leg and foot warmer to match seating upholstery

Footrests

Wide range of options. Available with swing aside footrest (optional)



Pram handles

Replaces the two handles with a pram-style bar

Oxygen carrier

Attaches to frame

Attendant hub brakes

Controlled via switch fitted near the handles (optional)

Choice of wheels

Standard (right)
Rough Terrain (left)
Self Propelled

Net carrier

Convenient under-seat storage attached to frame (removable)

MoJo CC specification

	Measurements	Units	Midi	Maxi
A	Length (maximum)	mm	1203	1203
B	Length (maximum inc. footrest)	mm	1503	1503
C	Length (minimum)	mm	870	870
D	Height (maximum)	mm	1219	1219
E	Height (minimum)	mm	919	919
F	Width	mm	589	640
G	Minimum turning radius	mm	619 to 673	646 to 723
H	Maximum turning radius	mm	955 to 1032	955 to 1032
J	Minimum folded length	mm	1053	1053
K	Minimum folded height	mm	620	620
L	Wheel base	mm	483 to 560	483 to 560
M	Wheel track (front)	mm	381	432
N	Wheel track (rear)	mm	513	564
P	Armrest height	mm	700 to 915	700 to 915
R	Armrest width	mm	519 to 619	570 to 670
S	Tray extension	mm	229	229
T	Frame width	mm	381	432
U	Ground clearance	mm	65	65

Choice of colours



Metallic blue



Metallic pink



Solid black



Metallic red



Metallic green



Metallic silver



Metallic purple

Measurements	Units	Midi	Maxi
Age range (approx)	mths/yrs	age 12+	young adults
Max user weight	kg	90	120
Tilt angle	degrees	0° to +21°	0° to +21°
Weight (when empty)	kg	32.5	33.8
Handle height adjustment	mm	100	100



Specialised Orthotic Services
Unit 126-127
Fauld Industrial Park
Tutbury
Staffordshire
DE13 9HS

Tel: 0044 (0)1283 520400
Fax: 0044 (0)1283 520401
Email: enquiries@specialorthotic.com
Web: www.specialisedorthoticservices.co.uk



Specialised Orthotic Services has a policy of continual development and we reserve the right to alter specification and design without prior notification. All products manufactured are covered by design rights or patent. This document is copyright of the company and the contents are its intellectual property. We have made every effort to make the colours in the brochure match as close as possible to the finished product. Unfortunately we cannot guarantee an exact match.